

OCCUPANT USERS' GUIDE

Nedbank Branch: Fourways Mall

Project Background

The Nedbank Branch: Fourways Mall is situated within Sandton in Johannesburg. Nedbank is committed to delivering a healthy and comfortable indoor environment for both its employees and clients. The Green Star SA interiors v1 tool rewards high performance tenant spaces that are healthy, productive places to work, are less costly to operate and maintain, and have a reduced environmental footprint. The project consists of Ground floor with a net Useable area of 408m2.



Introduction

The purpose of the Occupant Users' Guide is to inform visitors and staff working in the building of relevant building operations that influence them and on which they have an effect. This Guide will contribute to optimal operational efficiency by informing relevant parties to use building systems effectively which will in turn improve the users' experience within the building.

The Occupant Users' Guide aims to:

- Enable occupants to understand the building and the limitations that they must work within to maintain the design performance and minimize environmental impacts
- Inform occupants and users of all the building's incorporated service and management systems to optimise the building's environmental performance and minimise its environmental impact.
- Ensure that all future alterations, additions and program changes are consistent with the intent of the purpose of the Building Users' Guide and the health of the environment.
- Identify and describe green initiatives that ensure an environmentally responsive and resource efficient building.



Contents

Targets & Benchmarks

Energy Strategies 

Water, Environmental & Material Strategies 

Building Services 

Transport Facilities 

Materials and Waste Policy 

Appliances 

Health & Wellness 


Expansion/Re-fit Considerations 

References & Further Information

Appendix A & B

Targets & Benchmarks

Company long term goals



Link to Nedbank's sustainability webpage: https://group.nedbank.co.za/sustainability.html


Energy Strategies

Energy Strategies

Energy strategies are implemented to reduce the overall energy consumption of the building which in turn has an impact on the reduction of greenhouse gas and other emissions associated with energy generation from fossil fuels.

Other Energy and Environmental Initiatives

- Thermal energy storage to reduce the energy demand of the mechanical system and shift the heating and cooling load off peak.
- Energy use is optimised by ensuring that 60% of the equipment installed has an energy-efficient label.
- LED lighting implemented - LED’s are efficient and need to be replacement less frequently than conventional lighting systems.
- Lighting provided is sufficient for the task that needs to be completed in the area
- The kitchenette uses an undercounter geyser to provide boiling water - undercounter geysers can save more energy than conventional kettles.





Strategies for Saving Energy

Simple Strategies

- Turn of lights and equipment when not in use.
- Remove devices from plugs when charged.
- Turn the switch off at the power socket to reduce electricity used.
- Light areas with natural light instead of electrical lights where possible.
- Close all doors and windows if aircons or heaters are in use.
- Dress appropriately for the weather to reduce heating and cooling required in an office.



Water Strategies

Water Strategies

Water Strategies are implemented to reduce the use of potable water through efficient design of building systems and accurate monitoring of water consumption.

Other Water Initiatives

- The building made use of sanitary fittings which reduce potable water consumption by building occupants.
- Potable water consumption for landscape irrigation has been reduced through the use of a water wise efficient irrigation systems.








Strategies for Saving Water

Simple Strategies

- Turn off taps when not in use and make sure taps are closed properly.
- Minimise the use of dishes and cutlery to reduce the amount of washing up that will need to be done.
- Report any leaks; refer to Contacts for Maintenance & Complaints.







Environmental Strategies

Environmental Strategies are implemented to enhance the wellbeing of the occupants within the building. This is achieved by addressing the HVAC systems, lighting, water, fire suppression, indoor air pollutants and some building attributes to contribute to a good indoor environmental quality.

Monitoring and Targeting

The project targets factors such as: improved ventilation rates, and addresses health issues through the minimisation of indoor Volatile Organic Compounds to enhance the wellbeing of the building occupants. Environmental Strategies also looks at the impact of the building systems on the environment .

Other Environmental Initiatives

- Green Star Professionals have been engaged to assist the project team with the integration of Green Star objectives and processes throughout the design and construction phases.
- Ample amounts of outside air is provided at 33% greater rates than the requirements stipulated in SANS 10400-O to counteract build-up of indoor pollutants.
- A high level of thermal comfort is maintained through the mechanical systems complying with ISO7730 standards.
- Tobacco Smoke is prohibited inside the building and outside its entrances and balconies, to ensure air quality benefits to the building occupants.
- The sites ecological footprint was minimized by utilizing a site situated within a municipal approved urban edge and by redeveloping a previously occupied site.
- All thermal insulants used for the development have an Ozone Depletion Potential (ODP) of zero, to eliminate any contributions to long-term damage to the Earth's stratospheric ozone layer.
- Light pollution is minimized by designing outdoor lighting so that no lights shine directly up into the night sky.








Material Strategies

Material Strategies

Material Strategies are implemented to reduce the impact on natural resources by making use of reused and recycled material or reducing quantity of material used wherever possible.

Monitoring and Targeting

Materials installed in the interior fit out are monitored by obtaining material data sheets and confirmation from suppliers. Operational waste and recycling is managed by the building tenants with guidance from the building management. Waste tracking information will provide the tenant with the opportunity to monitor and improve on their waste reduction and diversion from landfill.

Other Material Strategies

- A dedicated storage space with easy access is provided to facilitate the recycling and collection of office waste.
- At least 95% of interior finishes such as paints, adhesives/ sealants and carpets that minimize the contribution of Volatile Organic Compounds are utilized.
- The selection of furniture, flooring and assemblies chosen has a reduced environmental impact compared to available alternatives.
- Materials manufactured in South Africa make up over 50% of the contract value and materials extracted/ harvested within South Africa make up over 20% of the contract value.







Building Services


The following section provides a description of basic functions and operations of the Mechanical, Electrical and Hydraulic systems installed within the building. These systems contribute towards reducing the negative impacts that building operations often have on the environment.

Ventilation, Cooling and Heating System

The below descriptions detail the HVAC System installed at the Nedbank Fourways Mall Branch

The building is air-conditioned by VRF System with Split Units. Fresh air is supplied by a fresh air fan .

VRF Allows for:	VRF Benefits:
Use of many diffusers of differing capacities or configurations,	High Energy efficiency
Heat recovery from one zone to another.	Easy to install
Simultaneous heating or cooling in differing rooms	Slim and small: VRF HVAC systems are substantially less bulky than conventional equipment, making them a great fit-outs solution.
Individual comfort control per room,	Adjustable temperature controls allow occupants to simultaneously heat and cool various zones, protecting workers and delicate equipment.
	Quiet: Compared to conventional HVAC technology, VRF systems significantly minimize ambient noise both within and outside the structure.



VRF SYSTEM

The Building's Electrical System


Lighting System

LED lighting has been phased into the interior retrofit. LED lighting is extremely efficient, this greatly reduces maintenance costs as replacement occurs far less often when compared to conventional lighting systems.

The reduction in replacement frequency also relates to reduced disposal of lamps especially of mercury containing lamps. LEDs produce much less heat. In contrast, around 80% of the energy from CFLs and 90% of the energy from incandescent bulbs is converted to heat.

External Light Pollution

Over lit buildings can have a devastating environmental impact on nocturnal creatures by disorientating them and changing behavioral patterns. In an effort to reduce light pollution from buildings the brightness of all external lighting on balconies, parking areas and on walkways are aligned to the minimum required maintained illuminance for parking/pathways/landscaping.



The lighting design ensures that all light fittings are positioned so that there is no upward light spillage into the night sky. This includes lights on the roof, which are also positioned to face downward to prevent light pollution.

The Building's Water System

Water is a scarce resource and the importance of reducing its wastage is critical. The following water savings initiatives have been implemented to reduce the demand of potable water:

Landscape Irrigation

The development has a relatively small area of landscaping and has many water wise plants, reducing the need for potable water for landscape irrigation. Water by hand by the plant contracts - ensuring each plant gets exactly the amount of water that they need.

Hot Water

There is no hot water provided within the ablutions facilities. This is in an effort to reduce electrical power consumption in the building. The kitchenette uses an undercounter geyser to provide boiling water - undercounter geysers can save more energy than conventional kettles.




Fig: Simplified water system

System: Tobacco Smoke

Tobacco Smoke

This building is a smoke-free zone to protect the health of all occupants and to recognize the air quality benefits by not having any smoking areas in or immediately around the building. Signage will be strategically placed around the building to remind occupants that smoking is strictly prohibited.

Benefits of having a Smoke-Free Policy

- The building staff will find the air more pleasant to breathe and be protected from second-hand smoke.
- The building will be free of the toxins from tobacco smoke that linger in carpets and walls long after visible smoke clears, which may be dangerous to your health.
- Cleaning costs are lower when you don’t have to scrub, paint, and replace items in an office building that smells like smoke or are covered in residue
- Reduce Fire Risk
- Potential insurance savings
- Healthier and more productive staff smoke-free





Indoor Environmental Quality

Indoor Environmental Quality Strategies are implemented to enhance the well-being of the occupants within the building. This is achieved by addressing emissions from new furnishings and floorings, mold growth on or in soiled or water-damaged furnishings.

IEQ Initiatives to reduce Indoor pollutants:

To improve Indoor air quality, measures need to be taken by the building facility manager when new furniture or materials are brought into the office building.

The building must have these measures put in place:

- **High-efficiency air filters -** filtration stops ozone, dust, particles, and VOCs from being brought within from the outside. The best filters for removing outdoor dust and particles are determined to be those that use good particle filters, such as ventilation equipment with high MERV ratings. Air filters must be replaced regularly and maintenance of the fresh air ducting implemented.
- **Use of low-emitting materials -** Utilizing low-VOC materials for items like, paint, indoor carpets and sealants & adhesives

The Nedbank Fourways fit-out makes use of the following initiatives for the well-being of the occupants:

- **Quality of Internal Air**
  - Provision of Outside Air - 95% of air circulating through fit-out is from the outside, this is to ensure occupants are provided with high quality air.
  - Exhaust of pollutants - the pollutants from photocopiers and printers have been minimised to increase air quality.
- **Lighting Comfort**
  - General Illuminance - the office lighting design achieves an average maintained illuminance level of no more than 400 Lux. This ensures visual comfort and well light spaces.

Indoor Plants

All plants supplied and installed within the project were selected for their suitability to indoor environments as well as benefits produced to indoor air quality. These include:


- Indoor plants filter the air and reduce VOC's (volatile organic compounds) in particular formaldehyde. With most of our offices being sealed working environments there is a build-up of VOC's in the air we breathe. As a result indoor air quality is often 10 - 1000 times more polluted than the exterior air even in our polluted cities.
- VOC's are responsible for over 1.6m deaths each year according to a 2002 World Health Organization report
- The American EPA (Environmental Protection Agency) ranks indoor air pollution among the top 5 threats to human health
- Research conducted by Sidney University of Technology show's plants help to reduce VOC's between 50 – 75% within a 24 hour period
- Plant filled rooms contain 50-60% fewer airborne moulds and bacteria and health complaints are reduced by around 30%
- Research has shown that by having indoor plants present that absenteeism is reduced between 15 to 30% and productivity is increased 12 – 20%
- The well-being of staff, just by having plants around them, is increased by a staggering 84%

Indoor Plant Maintenance

- The scope of services and work done by LIFE Green Group includes the replacement of plants deemed to be below standard and acceptable level, transport, labour and use of any equipment required for the provision and maintenance of indoor plants specified, and to the specifications included in the Maintenance Agreement.
- Indoor plants maintenance will include watering, feeding, bark chip replacement, polishing, rotating, fertilising and disinfecting of all indoor plants in all the buildings, as specified above in the maintenance agreement.
- Plants must be situated in areas designated by LIFE Green Group, and should be able to grow and thrive in an indoor environment, taking into account of the existing lighting conditions.

SOIL MIXTURE, pH NUTRIENTS MAINTENANCE:

The plants are supplied in a specially mixed potting mix for the use with indoor plants. It is a lightweight soil mix comprised of bark chip that allows for easy air flow through the soil and is at a pH suitable for the plant growth in indoor environments. The correct nutrient mix is provided within the soil that should last the period that the plant will be retained in the office environment. If we provide more it could lead to the plant being overfed and the soil becoming toxic.



Transport

Commuting Mass Transport

Nedbank Fourways Mall Branch is located within 1000m walking distance to the Metrobus and Taxi Stops. These public transport modes connect to the site and to other bus terminals within the project's radius.

During peak times the services have a frequency of around 10 minutes or less with numerous transport stops. Bus services include but are not limited routes linking Nedbank Fourways Mall Branch to:

- Metro Bus
  - 80F Gandhi Sq-Fourways Mall
  - 552 Protea Glen-Fourways Mall
  - 523 Fourways Mall- Naturena



- Taxi Rank
  - Baragwanath Taxi Rank - Fourways Taxi Rank
  - Fourways Taxi Rank - Pan Africa Shopping Centre Taxi Rank
  - Metro Mall Taxi Rank - Fourways Crossing Taxi Rank




Transport

Alternative Transport (continued)

Nedbank Fourways encourages reduction of private car usage through:

- Providing video conferencing solution(s) to minimise air travel



TV in Meeting

Private meeting rooms - potential for video conference solutions

The interior fit-out provides a central video conferencing solution, or a video conferencing solution in each meeting room with sufficient bandwidth to support multiple video and laptop sharing streams simultaneously.

Material & Waste

A waste recycling storage area is provided to encourage recycling of materials used within the building to reduce waste going to landfill.


Nedbank Fourways Mall Branch has 200m2 area for waste storage and recycling. A recycling and general waste contractor picks up the waste frequently, and takes it off site to a dedicated waste management facility where all waste is separated and further recycled. The Waste Contractor keeps track of the waste generated and implements recycling initiatives. Through monitoring and reporting on the waste produced each year, waste targets can be established. Nedbank Fourways Mall Branch should aim to reduce its overall waste by 10% and improve its recycling rate by 5% per year.

Accessibility

The location and layout of the storage and collection area is safely and easily accessible by building staff and by recycling collection services and vehicle. The storage area allows for separation of recyclables waste from general waste and wet waste.

Awareness

Staff and visitors can assist in waste minimization efforts by separating clean white paper from general waste and by keeping food waste separate from all other waste types.



Fourways Mall Plan

Material & Waste

Recycling Schedule

What can be recycled:

- Paper and Cardboard Plastic ,
- glass and cans
- Metals
- General Waste

Waste Stream	Location	Waste Moved to recycling Storage Area for sorting and then collected as follows:	Waste Collection Frequency from Waste Storage Area
The following waste is generated on site:			
Mixed Recyclables (cans, polystyrene)	Recycle bins indicated on attached plan	The non-recyclable waste bins are serviced once a day or more frequently as necessary by the cleaning staff.	On Call (On Call)
Glass	Recycle bins indicated on attached plan	The recycling stations are serviced once a day or more frequently as necessary by the cleaning staff.	2 skips a Month on call
Cardboard/ Recyclable paper	Recycle bins indicated on attached plan	The recycling stations are serviced once a day or more frequently as necessary by the cleaning staff.	Daily (On Call)
Plastic	Recycle bins indicated on attached plan	The recycling stations are serviced once a day or more frequently as necessary by the cleaning staff.	Daily (On Call)
Hazardous Waste	Recycle bins indicated on attached plan	As required	On Call
Compostable food waste	Recycle bins indicated on attached plan	As required	Tuesday and Friday
E-Waste (Printer & toner cartridges)	Recycle bins indicated on attached plan	As required	On Call
General Waste	Recycle bins indicated on attached plan	The recycling stations are serviced once a day or more frequently as necessary by the cleaning staff.	6 Days a week (Monday to Saturday)







Material & Waste



WHAT EXACTLY IS RECYCLABLE? AND NOT RECYCLABLE?

YES TO RECYCLE

PLASTICS

All plastics with a number within a triangle -codes 1, 2, 4, 5

Milk bottles, margarine, large yoghurt, cold drink bottles packaging, mayonnaise and detergent containers

Polystyrene

ALUMINIUM & STEEL

Soft drink cans

Beer cans

Empty food tins

Bottle lids

PAPER & CARDBOARD

Newspaper

Magazines

Cardboard and cereal & food boxes

Toilet rolls and cigarette boxes

Phone books and school books

Office paper, envelopes and mail

CARTONS

Empty milk and juice cartons

OTHER

Printer cartridges and e-waste

NOTE: All bottles to be empty before placing in bins.
All milk, yoghurt, tins and mayonnaise containers must please be rinsed before disposal.
Please flatten your cardboard boxes & place next/on top of your recycling bin for collection.

NO CAN'T RECYCLE

NO food and **NO** teabags

NO disposable coffee cups

NO sweet, chocolate or chip papers

NO Code 3, 6 and 7 plastics

NO ceramics or crockery

NO Stickers or sticker backing

NO floor tiles

NO waxed paper

NO foil lined pharmaceuticals tablet

NO tissues or **NO** soiled napkins

NO tubes (beauty product or toothpaste)

NO pesticide containers

NO window glass or **NO** mirrors

NO containers holding poisonous substances

NO batteries or **NO** light bulbs

NO brakefluid or used oil


NO medicines, **NO** medical waste or **NO** syringes

NEDBANK

WWW.POSTWINK.CO.ZA

Material & Waste

Should composting become an option: How to Compost



Appliances

Energy Efficient Appliances & Equipment

An energy efficient appliance is defined to be one which has achieved either a minimum B rating of the European Union Energy Labelling system or has an ENERGY STAR® rating. The following energy efficient appliances & equipment were installed:

Device	Quantity	Model and Make	Wattage	Total Wattage	Energy Label	Emissions
Laptops / Desktops						
Dell Desktop	5	Optiplex 7010	350	1750	Energy Star	
Dell Laptop	2	Dell Latitude 5420	130	260	Energy Star	
Dell Laptop	1	Notebook 5510	130	130	Energy Star	
Dell Laptop	1	Dell Latitude 5440	100	100	Energy Star	
Dell Laptop	5	Latitude 7320 Detachable	90	450	Energy Star	
Dell Laptop	2	Dell Latitude 5520	130	260	Energy Star	
Dell Laptop	12	Dell Latitude 5450	100	1200	Energy Star	
Monitors						
Dell Monitor	12	E2020H 19.5"	14	168	Energy Star	
Printers and Photocopiers						
Multifunction Printer	6	HP MFU E42540	525	3150	Energy Star	**CONCENTRATIONS (mg/m³)** mono / colour TVOCs = 0.016 /- BENZENE = BQL /- STYRENE = BQL /- UNIDENTIFIED VOCs = BQL /- OZONE = BQL /- DUST = 0.015 /-
Multifunction Printer	2	B305 Xerox	530	1060	Energy Star	**PARAMETER - Emission Rate** Total Volatile Organic Compounds (TVOC) - 2.2 mg/h Dust - 0.25 mg/h Ozone - <0.13 mg/h Styrene - 0.13 mg/h Benzene - <0.01 mg/h
Multifunction Printer	1	B405DN MFU Xerox Printer	620	620	Energy Star	**PARAMETER - EMISSION RATE** TVOC - .88 mg/h Dust - None detected Ozone - None detected Styrene - None detected Benzene - None detected
TV Screens						
Samsung TV	2	QM43B	110	220	Energy Star	
Philips TV	2	43BDL4550D/00	75	150	NA	
Kitchen Appliances						
Fridge	1	Hisense h310bit	120	120	Energy Star	
Kettle	1	Safeway SGK-622	2200	2200	NA	
Coffee Machine	1	Konig A10s	1700	1700	NA	
Microwave	1	Defy	900	900	NA	
	Total Items With Engergy Label:		Total wattage for Items With Engergy Label:			
	52		9488			
	Total Items:		Total wattage of Items:			
	57		14438			
	Percentage of Items With Engergy Label:		Percentage of Items With Engergy Label:			
	91.22807018		66			

Appliances

Water Efficient Sanitary Fittings

Water-efficient sanitary and kitchen fittings have been provided throughout the building to reduce water consumption through daily activities.


The following flushing systems, taps, and kitchen mixers will be provided for the building:

Fitting	Water usage	No.	%	Datasheet
WC				
Cobra Welcome Ceramic Close-Coupled Suite	3.6 ltr/min	2	66.67%	Cobra Welcome Ceramic Close-Coupled Suite
Lecico – Atlas Paraplegic Close – Couple Combo Suite	6 ltr/min	1	33.33%	Lecico – Atlas Paraplegic Close – Couple Combo Suite
Urinals (No urinals installed)				
NA	NA	NA	NA	NA
Indoor taps				
Cobra Seine Basin Mixers with aerators	6 ltr/min	2	50%	Molinari Basin Mixer
Euroeco SSC Basin with aerator	6 ltr/min	1	25%	Euroeco SSC Basin
Kitchen Classic - Ledimo: LO-296 with aerator	6 ltr/min	1	25%	Kitchen Classic - Ledimo: LO-296
Showers (No showers installed)				
NA	NA	NA	NA	NA


Health & Wellness

Enjoy Your Meals in a Dedicated Space

Pause Area



Food Options available at Fourways Mall



Health & Wellness

Enjoy Your Meals in a Dedicated Space

Why It Matters

Eating is more than just refueling—it's about taking a break, socialising, and making healthier choices. Studies show that at a desk can lead to poor food choices, irregular eating habits, and even health risks like heart disease and diabetes. On the other hand, mindful eating—focusing on your meal without distractions—can improve digestion, mental well-being, and overall health.

What This Building Offers

To support your health and well-being, this building provides:

✅ **Dedicated Eating Spaces** – Enjoy your meals in a comfortable space equipped with tables and chairs, designed to encourage social interaction and mindful eating.

✅ **Variety of Seating Options** – Whether you prefer small-group seating or larger communal tables, you'll find a space that suits you.

✅ **Protected & Comfortable Environment** – Enjoy the comfortable indoor spaces or if the weather is great you can find a spot by the terraces or in the garden.

✅ **Encouraged Meal Breaks** – All staff are encouraged to make use of their at least **1 hour lunch break** each day, ensuring you have dedicated time to eat and recharge.

How You Benefit

- **Better Nutrition** – Eating in a designated space helps you make more mindful food choices.
- **Social Connection** – Share a meal with colleagues or friends, enhancing your sense of community.
- **Improved Focus & Productivity** – Taking a real break helps you return to work or studies feeling refreshed.

We encourage all occupants to take full advantage of these dedicated eating spaces and meal breaks for a healthier, more enjoyable experience in the building!

Contacts for Maintenance & Complaints

Repairs, Maintenance and Complaints

For any repairs, maintenance or complaints branches must follow the GBS process and log any repairs on the maintenance portal, this ensures a job card will be created systematically.

For further info contact Renold Ramathula - their email is: RenoldR@Nedbank.co.za


They will delegate the maintenance & complaints tasks for the following:

- Lighting controls;
- Electrical systems (such as electrical generation, electrical supply, distribution systems, sensors, timers, security and alarm systems);
- Hydraulic systems (water supply distribution systems);
- Mechanical systems (such as HVAC and refrigeration systems);
- Domestic hot water systems (hydroboil).

Nedbank Branch Fourways Mall Indoor Plants Contact Details

LIFE Green Group
Tel: 011 959 1000
Website: https://www.lifegreengroup.co.za/

Leanne Meyer
Email: leanne@lifeindoors.co.za
Email: adminint@lifeindoors.co.za



Expansion/ Re-fit

In the event of a new tenant fit-out, refurbishment or extension of the building, the following factors should be considered and balanced to provide the most efficient, healthy, and enjoyable working environment.

Management

Management plays a key role in ensuring that the various processes implemented within the building are regularly revised and updated to adapt to the changing environmental demands. A Green Star Accredited Professional can assist with this process

Management should consider :

- Updating Waste Management Plans, Environmental Management Plans and the building users' guide annually.
- Any new building systems should be commissioned and tuning should occur at installation completion and recommissioned after 12 months



Local Sourcing: Materials

New construction should aim to achieve the following:

- Where concrete is used within the building to make 40% reduction of the quantity of Portland cement, as an average across all concrete mixes where implemented.
- Where steel is used in the project ensure a 60% recycled content of all the steel by mass on the project.



High Frequency Ballasts

Only high frequency ballasts are installed within all occupied spaces to improve amenities by avoiding low frequency flicker that may be associated with fluorescent lighting.

Low VOC: Paints, Carpets, Adhesives and Sealants

Paints, carpets, adhesives and sealants and composite wood products used within the building will be specifically selected to minimise emissions typical of these materials.



Water

- Installing water efficient fittings, fixtures and appliances can significantly decrease the buildings water consumption. All of these items should be specified to the highest available and appropriate efficiency and encouraged for installation.
- Where possible, alternative water sources and onsite water storage and treatment should be considered.

Emissions

- All refrigerants and insulation should be specified to have an ODP of zero. This will minimise the potential for long term damage to the natural environment.
- Light pollution can have an adverse effect on the natural environment by interfering or disturbing neighbouring fauna and people. It is for this reason that any external lighting should not be directed beyond the site boundary or upwards without falling on a surface with the clear purpose of illuminating that surface.
- All storm water leaving the site at any time should be treated so that any pollutants in the storm water are filtered out and remain on site for appropriate disposal.

New Equipment

- New Equipment should be selected from the Energy and Water Efficient Ranges. For energy efficient office equipment including computers, printers and photocopiers and electronics such as TV's, audio products and DVD players, energy efficient refrigerators, fridges, water efficient dishwashers and other appliances please refer to:

  http://www.greenstuff.co.za/products/category-3/Appliances-and-Equipment

References and Further Information

Green Building Council of South Africa

www.gbcsa.org.za

Environmentally Friendly Design Features

www.sustainablehomedesgn.co.za

Energy Used by Appliances

www.ge.com/visualization/apliances energyuse/index.html

FSC Certified Suppliers

www.fsc.org/africa.html



Occupancy Sensors

https://www.wbdg.org/ccb/GREEN/REPORTS/cgrsens.pdf

Energy Saving

www.enersense.org

Water Conservation

www.waterconservation.co.za

www.waterefficiencysa.co.za

Indoor Air Quality in Buildings

www.greenbuiding.com/knowledge-base/indoor-air-quality

Material & Waste

https://postwink.co.za/what-to-recycle/

Building Operation Green Building

www.calrecycle.ca.gov/greenbuilding/Basics.htm#Operation

Appendix A

Extracts from Gautrain BUS Timetables & Routes





Commuting Mass Transport

Nedbank Fourways Mall Map Indicating Bus/ Taxi Stops

Nedbank Branch Fourways Mall Mass Transport Facilites



Metrobus times



Metrobus Routes - Percy Street Bus Stop

Routes

[80F] Gandhi Sq-Fourways Mall


Select a line

[80F] Gandhi Sq-Fourways Mall — view

[80F] Gandhi Sq-Fourways Mall via Randburg — view

Updates

There are no recent updates for your route



Route info	
Agency	Joburg Metrobus
Service	bus
Distance	24.285km
Stops	54

Upcoming services

no scheduled services for rest of today

Metrobus Routes - Percy Street Bus Stop

Routes


[552] Protea Glen-Fourways Mall

Select a line

[552] Protea Glen-Fourways Mall view

Updates

There are no recent updates for your route



Route info	
Agency	Joburg Metrobus
Service	bus
Distance	51.485km
Stops	91

Upcoming services

no scheduled services for rest of today

Routes


[523] Fourways Mall-Naturena

Select a line

[523] Fourways-Naturena view

Updates

There are no recent updates for your route



Route info	
Agency	Joburg Metrobus
Service	bus
Distance	48.835km
Stops	121

Upcoming services

no scheduled services for rest of today

Taxi Times


Nedbank Fourways Mall
Witkoppen Checkers Hyper, William Nicol Drv
Bus stop
Overview
About
Directions
Save
Nearby
Send to phone
Share
Fourways, Sandton, 2055
X2H5+RH Sandton
Your Maps activity
Add a label
Suggest an edit
Popular times
Mondays
6a
9a
12p
3p
6p
9p
12a
3a
Restaurants
Hotels
Things to do
Transit
Parking
Pharmacies
ATMs
Witkoppen Checkers Hyper, William Nicol Drv
Baragwanath Taxi Rank - Fourways Taxi Rank
Fourways Taxi Rank - Pan Africa Shopping Centre Taxi Rank
Metro Mall Taxi Rank - Fourways Crossing Taxi Rank
Fourways Crossing Taxi Rank
Every 15 min
Fourways Mall
Cash Crusaders Fourways
Pick n Pay Institute
Mr Price Home Fourways Mall
Woolworths Fourways Mall
Sorbet Salon
FNA Fourways Mall
Edgars Fourways Mall
Witkoppen Checkers Hyper
Cedar Rd
853.54 m
500.00 m
200.00 m
EMW Charging Station
Witkoppen Rd
Fourways self catering lodge
Heavenly Giggles
Albatrossways Lodge
Hesed Haven
Measure distance
Click on the map to add to your path
Total distance: 853.54 m (2,800.33 ft)
Layers

Appendix B


Local Amenities





Local Amenities

Nedbank Fouways Mall Locality Map



Local Amenities

Nedbank Fouways Mall Store Map:

